

Amgrow Rose Spray 500ml - Carton
72386
NA .
23/02/2016
1
65 x 65 x 198
■ Dieline CMYK ■ PANTONE 3435C ■ PANTONE 485C
PANTONE 376C

PLEASE EXAMINE THIS PROOF CAREFULLY
What all care call enterior is before when preparing your design, it is requested you dueld, and details carefully, it is the responsibility of the diest to be come the careful the down or corrected the only for production. The class is responsible for any errors in the design, which are not corrected by the design is completed.

This is proof, the design and corrected could be for probing process provide a representation out, the final relativistic could be considered and corrected could be for probing process provide a representation of the final relativistic provides and accordinately the consideration of the final relativistic provides and accordinately the consideration of the final relativistic provides and accordinately the consideration of the final relativistic provides and the problem provides are presentation out. The final relativistic provides are presentation of the final relativistic provides and the provides provides are presentation of the final relativistic provides are presented to the provides and the provides are provided to the provided to the tation only the final colour(s)



CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS



Rose Spray

Systemic control of Black Spot, Powdery Mildew and Rust. Kills aphids, thrips, caterpillars, budworm and mites on roses and ornamentals. Works via contact and stomach

DO NOT mix with other insecticides or fungicides. DO NOT apply if rain is expected within 24 hours. DO NOT apply when shade temperatures are

SITUATION	Roses (all types)	Other Ornamentals (shrubs, flowering annuals & perennials)
PEST	Aphids, Helicoverpa spp. (Native Budworm, Corn Earworm), Thrips, Two-spotted Mite, Whitefly, Black Spot, Powdery Mildew, Rust	Aphids, Helicoverpa spp. (Native Budworm, Corn Earworm), Thrips, Two- spotted Mite, Whitefly, Powdery Mildew, Rust
RATE	Mix 10 mL per 1 litre of water OR 7.5 mL per 750 mL water in a trigger pack	
Υ.	Spray thoroughly including undersides of	

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED.

oliage. Commence spraying when new shoots sprout in Spring or at first sign of insects or disease. Repeat at 14 day

intervals if required. Two-spotted Mites may require more frequent applications



Rose

ACTIVE CONSTITUENTS: 9.6 g/L TAU-FLUVALINATE 4.4 g/L MYCLOBUTANIL

Controls various insects, and fungal diseases on roses and ornamentals.

Contents 500mL

HOW TO PREPARE: Shake bottle well. Measure out required amount of spray

CAUTION: DO NOT use on edible crops.
DO NOT allow chemical containers or spray to get into drains, sewers, streams or ponds. Keep children and pets away from treated areas until spray has dried.

STORAGE AND DISPOSAL: Store in the closed, original container in a cool, dry place out of the reach of children. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in garbage.

SAFETY DIRECTIONS: May irritate the eyes. Avoid contact with the eyes. Wash hands after use. When opening the container, preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing). After each day's use wash contaminated clothing.

FIRST AID: If poisoning occurs, contact a Doctor or Poisons Information Centre. Phone Australia 13 1126.

Amgrow Australia Pty Ltd

ABN 22 069 900 456 82 Christensen Road, Stapylton Old 4207 Customer Service Number 1800 063 619 www.amgrow.com.au

APVMA Approval Number: 65023/49911

Batch No:

Date of Manufacture:





ACTIVE CONSTITUENTS: 9.6 g/L TAU-FLUVALINATE 4.4 g/L MYCLOBUTANIL

Controls various insects, and fungal diseases on roses and ornamentals.

Contents 500mL