

STORAGE AND DISPOSAL:

Store in the closed original container in a cool, dry place out of reach of children. Do not store in direct sunlight. Dispose of empty container by wrapping in paper, placing in a plastic bag and putting in garbage.

SAFETY DIRECTIONS:

Poisonous if absorbed by skin contact or swallowed. Will irritate the eyes and skin. Avoid contact with the eyes and skin. Do not inhale spray mist. When preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each days use wash gloves and contaminated clothing.

FIRST AID:

If poisoning occurs contact a doctor or Poisons Information Centre. If swallowed and if more than 15 minutes from hospital induce vomiting preferably using IPECAC SYRUP APF.

NOTICE: This product is designed only for the particular purposes indicated on the label. Failure to use the product strictly as directed may be illegal, prove dangerous and render the product ineffective. The buyer or user is responsible for any misuse or negligence in the handling, storage, use of or disposal of this material. Barmac Industries

responsible for any misuse or negligence in the handling, storage, use of or disposal of this material. Barmac Industries Pty Ltd will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply and use of this product other than those responsibilities mandatorily imposed by Statutes applicable to the sale and supply of these goods.



BARMAC



Paspalum & Clover Killer

SELECTIVE WEEDKILLER

ACTIVE CONSTITUENTS: 74 g/L DSMA 24 g/L MCPA present as the Sodium Salt

DIRECTIONS FOR USE - For use in NSW, Vic, Qld, SA, WA & NT only.

DO NOT mow for at least 3 days before or after spray application.

DO NOT fertilize for at least 10 days before or after application.

DO NOT apply if rain is expected within 4 hours.

DO NOT apply to damaged or stressed turf.

DO NOT cover spray Buffalo or Kikuyu Lawns - spot spray only.

LAWNS	WEEDS CONTROLLED	RATE COVER SPRAY	RATE SPOT SPRAY	HOW TO APPLY
Couch Lawns (Not QLD Blue Couch)	Barnyard Grass Bindii, Capeweed	Spray 170ml in 2L of water per 10m²	Mix 90ml in 1L of water	Spray weeds when young and vigorous. When spot spraying thoroughly wet weeds but avoid excessive run-off. Respray in 10 days if necessary. SPOT SPRAY ONLY ON BUFFALO AND KIKUYU LAWNS AS SOME DAMAGE TO LAWN IS EXPECTED.
Bent and Fescue Lawns	Catsear, Chickweed, Clovers	Spray 85ml in 2L of water per 10m²	Mix 45ml in 1L of water	
Buffalo and Kikuyu Lawns	Cotula, Cudweed, Dandelion, Duckweed, Fleabane, Lamb's Tongue, Mouse-Eared Chickweed, Mullumbimby Couch, Nutgrass, Paspalum, Scarlet Pimpernel, Summergrass, Water Couch, White Clover	DO NOT COVER SPRAY BUFFALO OR KIKUYU LAWNS	Mix 45ml in 1L of water	

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED.

HOW TO PREPARE

Product can be applied with most garden sprayers. Avoid using fine droplets as this will increase spray drift. It is important to apply the recommended spray mixture when weeds are young and actively growing. Results may take time to become evident.

CAUTION:

DO NOT allow spray to contact other plants that you do not want killed.
DO NOT allow chemical containers or sprays to get into drains, sewers, streams or ponds.
DO NOT feed grass clippings from treated areas to poultry or other animals.